

VALVES

Choosing the right valve is important

Our Thermostatic, Cylindrical, Cubic, Blade Cross Valves Feature:

- Quality Engineering For Reliability Next Day Delivery
- All Items Held In Stock TRV's Approved To European Standard EN215
 - Bi-Directional Flow
 - Vertical or Horizontal Mounting
 Liquid Filled Head



A409 Liquid Metal Sensor Chrome RRP Brushed Matt RRP



A574 Manual Knob for Thermostatic Radiator Valves (TRV) Chrome Brushed Matt



A555 PEX/AL/PEX Pipe Adaptor 16-2mm for Multi-layer Pipe with Hexagonal Nut Chrome RRP Brushed Matt RRP



A556
PEX Pipe Adaptor 16-2mm for Plastic Pipe
(Non Multi-layer) with Hexagonal Nut
Chrome RRP
Brushed Matt RRP



A331 Copper Pipe Adaptor 12mm with Hexagonal Nut Chrome RRP Brushed Matt RRP



A332 Hexagonal Nut for 3/4" Adaptor Chrome RRP Brushed Matt RRP



A584
Copper Pipe Adaptor 15mm with
Cylindrical Nut
Chrome RRP
Brushed Matt RRP



A590 Copper Pipe Adaptor 1/2" 15mm Chrome RRP Brushed Matt RRP



A335 Copper Pipe Adaptor 3/4" 15mm with Cylindrical Nut Chrome RRP Brushed Matt RRP



BCH850 Blade Cross Angle Manual Rad. Valve + L/S set Chrome RRP



BCH851 Blade Cross Straight Manual Rad. Valve + L/S set Chrome RRP



COR850 Corner - Thermostatic Angle Valve Pair Complete with 15mm Tube Connectors Chrome RRP



CUB841 Cube - Manual Straight Valve Pair Complete with Ismm Tube Connectors Chrome RRP Brushed Matt RRP



CUB840 Cube - Manual Angle Valve Pair Complete with 15mm Tube Connectors Chrome RRP Brushed Matt RRP



CUH850 Cubic-30 Angle Manual Rad. Valve + L/S set Chrome RRP Brushed Matt RRP



CUH851 Cubic-30 Straight Manual Rad. Valve + L/S set Chrome RRP Brushed Matt RRP



CUH853 Cubic-30 Corner Manual Rad. Valve + L/S set Chrome RRP Brushed Matt RRP



CUL 850 Cubic-25- Angle Manual Rad. Valve + L/S set Chrome RRP



CUL851 Cubic-25 Straight Manual Rad. Valve + L/S set Chrome RRP



CYH850 Cylindrical-30 Angle Manual Rad. Valve + L/S set Chrome RRP Brushed Matt RRP



CYH851 C Y m631 Cylindrical-30 Straight Manual Rad. Valve + L/S set Chrome RRP Brushed Matt RRP



CYH853 Cylindrical-30 Corner Manual Rad. Valve + L/S set Chrome RRP Brushed Matt RRP



CYL840 Cylinder - Manual Angle Valve Pair Complete with 15mm Tube Connectors Chrome RRP Brushed Matt RRP



CYL850 Cylindrical-25- Angle Manual Rad. Valve + L/S set Chrome RRP Brushed Matt RRP



CYL851 Cylindrical-25 Straight Manual Rad. Valve + L/S set Chrome RRP



MIN840 Minimalist - Manual Angle Valve Pair Complete with 15mm Tube Connectors Chrome RRP Brushed Matt RRP



ONE851 One - Thermostatic Straight Valve Complete with 15mm Tube Connectors Chrome RRP Brushed Matt RRP



P925 Straight "H" Valve Without By-Pass -Nickel Plated Brushed Matt RRP



P926 Angle "H" Valve Without By-Pass - Nickel Plated Brushed Matt RRP



P915 r ฮาอ Straight "H" Valve With By-Pass - Nickel Plated Brushed Matt RRP



Angle "H" Valve With By-Pass - Nickel Plated Brushed Matt RRP



P99SP Drain Device - Brass Brushed Matt RRP



QUA850 Quartz-30 Angle Manual Rad. Valve + L/S set Chrome RRP



QUA851 Quartz-30 Straight Manual Rad. Valve + L/S set Chrome RRP



TLB850 Traditional Cross Head Angle Manual Rad. Valve + L/S set Chrome Brushed Matt



TW1850 Twin - Thermostatic Angle Valve Complete with 15mm Tube Connectors Brushed Matt RRP



TWI851 Twin - Thermostatic Straight Valve Complete with 15mm Tube Connectors Chrome RRP Brushed Matt RRP



UD850 DÉCOR Angle Valve Pair Complete with 15mm Tube Connectors Chrome RRP White RAL 9016 RRP



UD851 DÉCOR Straight Valve Pair Complete with 15mm Tube Connectors Chrome RRP Brushed Matt RRP



UD860 DÉCOR Swivel Valve Pair Complete with 15mm Tube Connectors Chrome RRP

89 - PREMIER RANGE



UD927
INTERAVIAL Swivel 50 Valve Pair
Complete with 15 Tube Connectors &
Domignon Sensor
Chrome RRP
Brushed Matt RRP
White RAL 9016 RRP



UA109 TRV Head Chrome RRP Brushed Matt RRP White RAL 9016 RRP



UAW850N Angle Thermostatic Valve & TRV Head White RAL 9016 RRP



UAW851N Straight Thermostatic Valve & TRV Head White RAL 9016 RRP



UAW850NL Angle Thermostatic Valve & TRV Head/ LS Twin Pack White RAL 9016 RRP



UAW851NL Straight Thermostatic Valve & TRV Head/ LS Twin Pack White RAL 9016 RRP



UAW850 Angle Thermostatic Valve Chrome RRP



UAW851 Straight Thermostatic Valve Chrome RRP



UAW853T Corner Thermostatic Valve & TRV Head Chrome RRP Brushed Matt RRP



RTAVW Close Coupled TRV with W/H & L/S Valves and 2m Capillary Tube White RAL 9016 RRP

VALVES & ACCESSORIES

PRODUCT DESCRIPTION NAME

UD109L Domignon Liquid Plastic Sensor P3015SC14 3/4"x18x10x14 Complete Adapting Set For Multi-Layer Pipe P3015SC16 3/4"x18x10x16 Complete Adapting Set For Multi-Layer Pipe P3015SS14 3/4"x18x10x14 Complete Adapting Set For Multi-Layer Pipe
P3015SC16 3/4"x18x10x16 Complete Adapting Set For Multi-Layer Pipe P3015SS14 3/4"x18x10x14 Complete Adapting Set For Multi-Layer Pipe
P3015SS14 3/4"x18x10x14 Complete Adapting Set For Multi-Layer Pipe
7/4/ 10 10 10 10 0 11 11 11 11 11 11 11
P3015SS16 3/4"x18x10x16 Complete Adapting Set For Multi-Layer Pipe
P3625N 3/4"BSP x 15mm Copper Tube Connector In Nickel Plated
P3625C 3/4"BSP x 15mm Copper Tube Connector In Chrome Plated
P3625S 3/4"BSP x 15mm Copper Tube Connector In Brushed Mat Plated
P3015S $3/4$ "BSP x 18 x 13 x 16mm Plastic Tube Connector In Brushed Matt
D13G Danfoss Thermostatic Insert With Pre-Setting
DRASC Danfoss Sensor
VHS-str Danfoss Undermount Thermostatic Valve - Straight White
H9260 Herz Sensor - Porsche
H7760 Herz Sensor - Standard
CHRV Cross Head Manual Radiator Valve Set With Sleeves



HEATING ELEMENTS

Class I or Class II Standard Heating Elements 70C Thermostat, 128C Thermal fuse

PRODUCT	DESCRIPTION
NIAME	

HE90	90W Heating Element With 70C Thermostat, 127C Thermal Fuse, Cable Length: 1.5m, 205mm Rod Length
HE150	150W Heating Element With 70C Thermostat, 127C Thermal Fuse, Cable Length: 1.5m, 300mm Rod Length
HE300	300W Heating Element With 70C Thermostat, 127C Thermal Fuse, Cable Length: 1.5m, 450mm Rod Length
HE400	400W Heating Element With 70C Thermostat, 127C Thermal Fuse, Cable Length: 1.5m, 550mm Rod Length
HE600	600W Heating Element With 70C Thermostat, 127C Thermal Fuse, Cable Length: 1.5m, 760mm Rod Length
HE900	900W Heating Element With 70C Thermostat, 127C Thermal Fuse, Cable Length: 1.5m, 1050mm Rod length
HES340	340W Heating Element, PTC Self Regulation, Cable Length: 1.5m, 240mm Rod Length
HES400	400W Heating Element, PTC Self Regulation, Cable Length: 1.5m, 240mm Rod Length

Analogue Heating Elements - Set Of Two Parts (The Rod & The Control Box) Class I Only

PRODUCT	DESCRIPTION
NAME	

POS400	400W Poseidon Heating Element With 70C Thermostat, 127C Thermal Fuse, Cable Length: 150cm, 550mm Rod Length
POS600	600W Poseidon Heating Element With 70C Thermostat, 127C Thermal Fuse, Cable Length: 150cm, 760mm Rod Length



HE/POS RANGE

Analogue Heating Elements - The Control Box And Rod Joint As One Piece, Class I Only: Aquarius

PRODUCT	DESCRIPTION	
NAME		

AQ300	300W Aquarius Heating Element With 70C Thermostat, 127C Thermal Fuse, Cable Length: 150cm, 450mm Rod Length
AQ600	600W Aquarius Heating Element with 70C Thermostat, 127C Thermal Fuse, Cable Length: 150cm, 760mm Rod Length



Analogue Heating Elements - The Contol Box And Rod Joint As One Piece, Stainless Steel Class I Only

PRODUCT	DESCRIPTION
NAME	

AES400	400W Dimhead Heating Element - Straight Type
AES600	600W Dimhead Heating Element - Straight Type

91 - PREMIER RANGE



Analogue Heating Elements - The Control Box And Rod Joint As One Piece, Class I Only: Mobus

RODUCT DESCRIPTION

MB150	150W Mobus PTC Heating Element, Cable Length: 90cm, Class I Insulation
MB300	300W Mobus PTC Heating Element, Cable Length: 90cm, Class I Insulation
MB600	600W Mobus PTC Heating Element, Cable Length: 90cm, Class I Insulation



Digital Heating Elements - Set Of Two Parts (The Rod & The Control Box) Class I & Class II

PRODUCT DESCRIPTION NAME

STCN-1	Stoke Control Box, Bluetooth Low Energy, Class I Insulation (for UK +)
STCN-2	Stoke Control Box, Bluetooth Low Energy, Class II Insulation (for France)
ST150-1	150W Stoke Heating Element Rod For Stoke Control Unit, Class I Insulation (for UK+)
ST400-1	400W Stoke Heating Element Rod For Stoke Control Unit, Class I Insulation (for UK+)
ST600-1	600W Stoke Heating Element Rod For Stoke Control Unit, Class I Insulation (for UK+)
ST900-1	900W Stoke Heating Element Rod For Stoke Control Unit, Class I Insulation (for UK+)
ST150-2	150W Stoke Heating Element Rod For Stoke Control Unit, Class II Insulation (for France)
ST400-2	400W Stoke Heating Element Rod For Stoke Control Unit, Class II Insulation (for France)
ST600-2	600W Stoke Heating Element Rod For Stoke Control Unit, Class II Insulation (for France)
ST900-2	900W Stoke Heating Element Rod For Stoke Control Unit, Class II Insulation (for France)



Enables Standard Element To Be Contolled

PRODUCT DESCRIPTION NAME

WPC600	600w Wall Plate Controller for Standard Heating Cartridge
P1300	16mm Pattresse Box (Supplied Min 10pcs in a Carton)
P1400	25mm Pattresse Box (Supplied Min 10pcs in a Carton)



PRODUCT DESCRIPTION NAME

3BV 1/2" BSP 3Bar Valve for Electric Only Towel Rails - Nickel Plated Only

DUAL FUEL COMPONENTS

PRODUCT DESCRIPTION NAME

TP	1/2" BSP T Piece For Dual Fuel Operation
4w-TRV+	4 Way Radiator Valve With Thermostatic Control (White Sensor And Nickel Plated Body)



CLIP ON ACCESSORIES



BHC Button Robe Hanger (Pair) Chrome RRP



BHW Button Robe Hanger (Pair) White RAL 9016 RRP



4TB 400mm Clip-on Towel Bar for Straight Shape Multi-Rail Towel Warmer White RAL 9016 RRP Chrome RRP

5TB 500mm Towel Bar Straight Multi-Rail Towel Warmer White RAL 9016 RRP Chrome RRP

6TB 600mm Clip-on Towel Bar for Straight Shape Multi-Rail Towel Warmer White RAL 9016 RRP Chrome RRP



5TAB 500mm Towel Bar Arched Multi-Rail Towel Warmer White RAL 9016 RRP

6TAB 600mm Clip-on Towel bar for Arched Multi-Rail Towel Warmer White RAL 9016 RRP



STAB 500mm Towel Bar for Arched Multirail Towel Warmer Chrome RRP

6TAB 600mm Clip-on Towel bar for Arched Multirail Towel Warmer Chrome RRP



VHW V Hook (Pair) White RAL 9016



VHC V Hook (Pair) Chrome



TPH Toilet Paper Holder White RAL 9016 RRP - £42.50 Chrome



TR Towel Ring White RAI 9016 RRP - £43.89 Chrome



TD Towel Dryer White RAL 9016 RRP - £65.49 Chrome

FITTINGS



90MF12 1/2" BSP Male to Female SS Square Elbow (One) Brushed Matt Polished



180SL 200mm Long 15 in Diameter Straight Stainless Steel Tube RRP Polished RRP

PRODUCT NAME

DESCRIPTION

	1/2" BSP Male To Female SS Straight 10mm
180MF12L	1/2" BSP Male To Female SS Straight 30mm
180MF34S	3/4" BSP Male To Female SS Straight 10mm
180MF34L	3/4" BSP Male To Female SS Straight 30mm
180FF1234	3/4" BSP Female To 1/2" BSP Female SS Straight
90SL	100+100mm 15mm In Diameter Elbow SS Tube

AIRVENTS & ACCESSORIES



SJA 1/2" Standard Airvent with "O" Ring -Nickel Plated



SJP 1/2" Standard Plug with "O" Ring -Nickel Plated Nickel



SJA-w 1/2" Standard Nickel Airvent with "O" Ring and White Plastic Water Diverter



SJA157 1/2" Type157 Nickel Airvent Flat D26 Hex 8 1/2" EPDM Nickel







SJP154 1/2" Type157 Nickel Plug Flat D26 Hex 8 1/2" EPDM Nickel



SJAC-h 1/2" Designer Chrome Airvent with "O" ring, Semi-Auto Chrome



0

SJPC-h 1/2" Designer Chrome Plug with "O" Ring, Chrome



ASJA 1/2" Full Automatic Airvent with Changeable Cartridge Nickel



SPF 1/2" BSP Straight Male to 15mm Pipe Push Fit - Nickel Plated Only Nickel

HEAT TRANSFER LIQUID

PRODUCT NAME	DESCRIPTION
7HTL	Heat Transfer Liquid For Up To 750mm High Rails
9HTL	Heat Transfer Liquid For Up To 900mm High Rails
11HTL	Heat Transfer Liquid For Up To 1200mm High Rails
17HTL	Heat Transfer Liquid For Up To 1800mm High Rails
20HTL	Heat Transfer Liquid For Up To 2000mm High Rails

CENTRAL HEATING TREATMENTS



766743 Ultraheat Central Heating System Inhibitor (500ml)



766750 Ultraheat Central Heating System Cleaner (500ml)



768822 Ultraheat Central Heating 22mm Full Compliance Kit



768808 Ultraheat Central Heating 22mm Magnetic Filter



768815 Ultraheat Central Heating 15mm Electrolytic Scale Reducer

